

FIG. 1



FIG. 2



FIG. 3



FIG. 3A



FIG. 4



FIG. 5A



FIG. 5B


GEOMETRY DATA
350
VERTEX #1 X, Y, Z, COLOR, ETC.
VERTEX #2 X, Y, Z, COLOR, ETC.
VERTEX #3 X, Y, Z, COLOR, ETC.
DRAW/RENDER PROCESS
352
112
SAMPLE COORDINATES
SUPER-SAMPLED SAMPLE BUFFER
162
SAMPLE POSITION MEMORY
354
BIN #1
BIN #2
BIN #3
BIN #4
BIN #N
SAMPLE #1 R,G,B,Z,α
SAMPLE #2 R,G,B,Z,α
SAMPLE #N R,G,B,Z,α
BINS (E.G., 1, 2x2, 4x4)
SAMPLE COORDINATES
OFFSETS FOR BIN#1
REG. GRID
PERT. REG. GRID
STO-CHASTIC
SAMPLE #1 OFFSETS X, Y
SAMPLE #2 OFFSETS X, Y
SAMPLE#N OFFSETS X, Y
SAMPLE-TO-PIXEL CALCULATION PROCESS
360
DISPLAY PIXEL
DISPLAY DEVICE
84

FIG. 6


GEOMETRY DATA
350
352
VERTEX #1
X, Y, Z, COLOR, ETC.
VERTEX #2
X, Y, Z, COLOR, ETC.
VERTEX #3
X, Y, Z, COLOR, ETC.
DRAW/RENDER PROCESS
112
SAMPLE COORDINATES
SAMPLE POSITION MEMORY 354A
SUPER-SAMPLED SAMPLE BUFFER
162
BIN #1
BIN #2
SAMPLE #1 R,G,B,Z,α
SAMPLE #2 R,G,B,Z,α
SAMPLE #N R,G,B,Z,α
BIN #3
BIN #4
BIN #N
BINS (E.G., 1, 2x2, 4x4)
354B
SAMPLE COORDINATES
SAMPLE-TO-PIXEL CALCULATION PROCESS
360
DISPLAY PIXEL
DISPLAY DEVICE
84

FIG. 7



REGULAR GRID 190



192 PERTURBED REGULAR GRID



194 STOCHASTIC SPACING

FIG. 8



FIG. 9


PERTURBED
REGULAR GRID
192
138A
138B
132A
132B
138C
138D
126 Y-Offset
132C
132D
124 X-Offset
198

FIG. 10



FIG. 11A



FIG. 11B



FIG. 11C


Receive graphics commands and data
200
Route graphics data to rendering units
202
204
Is graphics data compressed?
YES
Decompress graphics data
206
NO
Converting, Lighting, Transforming
208A
Determine which regions intersect each triangle (this may determine the density of samples to be calculated)
208B
210
Is triangle contained within a single region?
YES
NO
Divide triangle into one or more smaller triangles along region boundaries
212
Select one of the sample patterns in the sample pattern memory
214
Determine which bins may contain samples that will contribute to the pixel
216
Read offsets for samples in the selected bins from sample position table
218
Determine which samples fall within the polygon being rendered
220
224
Render samples and store them (via schedule unit) in sample buffer

FIG. 12A



FIG. 12B


Read a stream of bins from the sample buffer
250
Store one or more scan lines worth of bins in cache
252
Determine which bins may contain samples that contribute to the pixel currently being convolved
254
Examine each sample in the selected bins
256
Is sample within limits of convolution filter?
258
NO
YES
Set sample's weight to zero
262
Calculate weighting factor for sample (e.g., based on distance from center of pixel to sample)
260
Multiply sample's values (e.g., color and alpha) by weighting factor
264
Sum weighted values
266
Accumulate total sample weights
268
Divide by cumulative weighting factor to normalize the pixel
270
Output final pixel value
274

FIG. 13



FILTER VALUE = 8
FILTER VALUE = 4
FILTER VALUE = 2
FILTER VALUE = 0
= CENTER OF OUTPUT PIXEL
BIN 288A
BIN 288B
BIN 288C
BIN 288D
290
292
294
296
300
Sample 190
R = 120
G = 200
B = 40
A = 150
FILTER VALUE = 0
302
Sample 192
R = 140
G = 180
B = 50
A = 160
FILTER VALUE = 2
304
Sample 194
R = 150
G = 170
B = 50
A = 180
FILTER VALUE = 4
306
Sample 196
R = 140
G = 170
B = 60
A = 190
FILTER VALUE = 8
308
NORMALIZATION VALUE = 0+2+4+8 = 14
310
UNNORMALIZED OUTPUT PIXEL
R = 120*0 +140*2 +150*4 +140*8 = 2000
G = 200*0 +180*2 +170*4 +170*8 = 2400
B = 40*0 +50*2 +50*4 +60*8 = 780
A = 150*0 +160*2 +180*4 +190*8 = 2560
312
NORMALIZED OUTPUT PIXEL
R = 2000 / 14 = 142.9
G = 2400 / 14 = 171.4
B = 780 / 14 = 55.7
A = 2560 / 14 = 175.7

FIG. 14



FIG. 15



FIG. 16



FIG. 17



- FOVEAL REGION = 8 SAMPLES PER BIN
  CONVOLUTION RADIUS TOUCHES 4 BINS
  TOTAL = 32 SAMPLES MAY CONTRIBUTE
- MEDIAL REGION = 4 SAMPLES PER BIN
  CONVOLUTION RADIUS TOUCHES 4 BINS
  TOTAL = 16 SAMPLES MAY CONTRIBUTE
- PERIPHERAL REGION = 1 SAMPLE PER BIN
  CONVOLUTION RADIUS TOUCHES 1 BIN
  TOTAL = 1 SAMPLE MAY CONTRIBUTE

FIG. 18A



- PERIPHERAL REGION = 1 SAMPLE PER BIN
  CONVOLUTION RADIUS TOUCHES 1 BIN
  TOTAL = 1 SAMPLE MAY CONTRIBUTE
- PERIPHERAL REGION = 1 SAMPLE PER BIN
  CONVOLUTION RADIUS TOUCHES 1 BINS
  TOTAL = 1 SAMPLE MAY CONTRIBUTE
- FOVEAL REGION = 8 SAMPLES PER BIN
  CONVOLUTION RADIUS TOUCHES 4 BIN
  TOTAL = 32 SAMPLE MAY CONTRIBUTE

FIG. 18B



FIG. 19A



FIG. 19B



FIG. 20

$$r_i^p = \sum_J c_J r_J^s \qquad \text{Eqn. 1}$$

$$g_i^p = \sum_J c_J g_J^s \qquad \text{Eqn. 2}$$

$$b_i^p = \sum_J c_J b_J^s \qquad \text{Eqn. 3}$$

$$\alpha_i^p = \sum_j c_J \alpha_J^s \qquad \text{Eqn. 4}$$

$$c_i^n = \frac{c_i}{\sum_J c_j} \qquad \text{Eqn. 5}$$

$$r_i^p = \frac{\sum_J c_j r_J^s}{\sum_J c_j} \qquad \text{Eqn. 6}$$

$$g_i^p = \frac{\sum_J c_J g_J^s}{\sum_J c_j} \qquad \text{Eqn. 7}$$

$$b_i^p = \frac{\sum_J c_j b_J^s}{\sum_J c_J} \qquad \text{Eqn. 8}$$

$$\alpha_i^p = \frac{\sum_J c_J \alpha_J^s}{\sum_J c_j} \qquad \text{Eqn. 9}$$

Figure 21

FIG. 22A



FIG. 22B



Fig. 23A



Fig. 23B



Fig. 24A



Fig. 24B



Fig. 25A



Fig. 25B




Determine which of the samples lie within the support of the filter
2600
Determine the filter coefficient that corresponds to each of the samples within the support of the filter
2602
Sum all the filter coefficients
2604
Form a weighted-sum for the attributes of the samples within the support of the filter
2606
Normalize each of the attributes by dividing each by the sum of the coefficients
2608

Figure 26


Bin
Pixel center
2706
Filter support
2704
Top addition
level 2710
Intermediate addition
level 2708
Adder tree
2702
Bottom addition level
2712

Figure 27


Adder 2810A
Adder 2810B
Adder 2810C
Adder 2810D
Register 2820A
Register 2820B
Register 2820C
Register 2820D
Adder 2810E
Adder 2810F
Register 2820E
Register 2820F
Adder 2810G
Register 2820G

Figure 28


C-S Adder 2910A
C-S Adder 2910B
C-S Adder 2910C
Register 2920A
Register 2920B
Register 2920C
Register 2920D
Register 2920E
Register 2920F
C-S Adder 2910D
C-S Adder 2910E
Register 2920G
Register 2920H
Register 2920I
Register 2920J
C-S Adder 2910F
Register 2920K
Register 2920L
C-S Adder 2910G
Register 2920M
Register 2920N
Adder 2930
Register 2920O

Figure 29

Fig. 30A



Fig. 30B



Fig. 31



Fig. 32




X1
DV1
WTA1
X2
DV2
WTA2
2730
2732
2734
0
0
mux
2736
mux
2738
DV1
DV2
WTA1
WTA2
+
2740
2742
2744
Xout
DVout
WTAout

Fig. 33A


X1
DV1
WTA1
X2
DV2
WTA2
2750
+
2756
2752
2754
DV1
DV2
WTA1
WTA2
0
X1
X2
X1+X2
mux
2758
2760
2762
Xout
DVout
WTAout

Fig. 33B

Figure 33C



Fig. 34


X1 WTA1
X2 WTA2
3102
+
X1+X2
X1
Adder
Cell
3100
X2
3104
mux
WTA1
WTA2
3105
Xout
WTAout



First Cycle	Filter Coefficients	Red	Green
Second Cycle	Blue	Alpha	*Unused*

Figure 35

$$d = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2} \qquad \text{Eqn. 10}$$

$$d^2 = (x_1 - x_2)^2 + (y_1 - y_2)^2 \qquad \text{Eqn. 11}$$

Figure 36